EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	5	parallel adj packet adj switching	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 10:00
S3	4	(resequenc$3 re-sequenc$3 reorder$3 re-order$3) with (packet data burst frame block datagram) with (switch$3 near4 plane) with (egress receiver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/03 13:12
S4	7	(resequenc$3 re-sequenc$3 reorder$3 re-order$3) with (packet data burst frame block datagram) with (switch$3 near4 plane)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 11:58
S5	7	(resequenc$3 re-sequenc$3 reorder$3 re-order$3) same (packet data burst frame block datagram) same (switch$3 near4 plane) same (destination receiver egress)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 09:21
S6	2	(source near3 identifier) same (sequence near3 number) same (priority near3 level) same (packet data burst frame block datagram) same (switch$3 near4 plane)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 11:58
S7	30	(resequenc$3 re-sequenc$3 reorder$3 re-order$3 reassembl$3 re-assembl$3) same (packet data burst frame block datagram) same (switch$3 near4 plane)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 15:45
S8	17	(packet data burst frame block datagram) with sequence with (source transmitter ingress) with (identifier identify idnetifying) with priority	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 14:56
S9	17	(packet data burst frame block datagram) with sequence with (source transmitter ingress) with (identifier identify idnetifying) with priority	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 17:44

S11	6	(packet data burst frame block datagram) same (resequenc$3 re-sequenc$3 sequenc$3 reorder$3 re-order$3) same (source transmitter ingress) same (identifier identify idnetifying) same (multicast$3 multi-cast$3 unicast$3 uni-cast$3) same (egress switch fabric plane destination receiver) same priority and (370/394 370/389 370/252 "709"/$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 16:32
S12	128	(multicast$3 multi-cast$3) same (packet data burst frame block datagram) same stor$3 same (buffer memory storage) same (order$3 sequnc$3 reorder$3 re-order$3 re-sequenc$3) same (egress receiver destination switch plane) and (370/394 370/389 370/252 "709"/$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 16:36
S13	111	(multicast$3 multi-cast$3) same (packet data burst frame block datagram) same stor$3 same (buffer memory storage) same (order$3 sequnc$3 reorder$3 re-order$3 re-sequenc$3) same (egress receiver destination switch plane) and (370/394 370/389 370/252 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 16:50
S14	14	(multicast$3 multi-cast$3) same (packet data burst frame block datagram) same stor$3 same (buffer memory storage) same (order$3 sequnc$3 reorder$3 re-order$3 re-sequenc$3) same (egress receiver destination switch plane) same priority and (370/394 370/389 370/252 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 16:57
S15	112	(multicast$3 multi-cast$3) same (packet data burst frame block datagram near4 sequence) same (source transmitter ingress near4 identifier) same priority and (370/394 370/389 370/252 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 16:59

S16	2	(multicast$3 multi-cast$3) with (packet data burst frame block datagram near4 sequence) with stor$3 with (source transmitter ingress near4 identifier) with priority and (370/394 370/389 370/252 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:02
S17	1	(multicast$3 multi-cast$3) with (packet data burst frame block datagram near4 sequence) with stor$3 with identifier with priority and (370/394 370/389 370/252 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:03
S18	3	(multicast$3 multi-cast$3) same (packet data burst frame block datagram near4 sequence) same stor$3 same identifier same priority and (370/394 370/389 370/252 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:05
S19	86	(packet data burst frame block datagram) same sequence same plane same (ingress transmitter source) same (egress destination receiver) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:28
S20	8	(packet data burst frame block datagram) same (resequenc$3 re-sequenc$3 reorder$3 re-order$3) same (parallel near4 switch) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:38
S21	217159	(CAM content adj addressable adj memory) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:39
S22	37	(CAM content adj addressable adj memory) same (identification near4 field) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:54
S23	37	(packet near3 sequence) same priority same identifier and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/04/30 17:58
S26	67	(resequenc$3 re-sequenc$3 reorder$3 re-order$3) same (packet data burst frame block datagram) same latch same register	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 13:11

EAST Search History

S27	14	(resequenc$3 re-sequenc$3 reorder$3 re-order$3) same (packet data burst frame block datagram) same latch same register same identif$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 15:18
S29	69	(resequenc$3 re-sequenc$3 reorder$3 re-order$3) same identifier$7 same priority	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 17:46
S38	20	(resequenc$3 re-sequenc$3 reorder$3 re-order$3 sequenc$3 order$3) same (CAM content adj addressable adj memory) same identif$7 same priority and ("370"/$ "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 18:03
S39	1	(register pointer) same latch same (CAM content adj addressable adj memory) same identif$7 same priority and ("370"/$ "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 18:04
S40	170	(pointer register) same latch same (packet data burst datagram block frame) same identif$7 same (buffer storage memory) and ("370"/$ "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 18:07
S41	134	S40 and (active valid deactive not adj active not adj valid)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 18:08
S42	132	S41 and (sequenc$3 order$3 re-sequenc$3 resequenc$3 reorder$3 re-order$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 18:09
S43	123	S42 and count$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 18:10
S44	21	S43 and schedul$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/01 18:11
S46	624	(WPC wait$3 adj packet adj count) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 09:22
S47	51	register with (WPC wait$3 adj packet adj count) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 09:22
S48	51	register with (WPC waiting adj packet adj count) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 09:32

EAST Search History

S49	100	(resequenc$3 re-sequenc$3 reorder$3 re-order$3 reassembl$3 re-assembl$3) same (packet data burst frame block datagram) same (switch plane fabric router bridge gateway) same schedul$3 and (370/394 370/389 370/252 370/412 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 15:49
S50	7	(resequenc$3 re-sequenc$3 reorder$3 re-order$3 reassembl$3 re-assembl$3) same (packet data burst frame block datagram) same (switch plane fabric router bridge gateway) same schedul$3 same (register counter) and (370/394 370/389 370/252 370/412 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 15:54
S51	43	(resequenc$3 re-sequenc$3 reorder$3 re-order$3 reassembl$3 re-assembl$3) same (packet data burst frame block datagram) same (egress destination receiver) same schedul$3 same (register counter) and (370/394 370/389 370/252 370/412 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 15:58
S52	79	(resequenc$3 re-sequenc$3 reorder$3 re-order$3 reassembl$3 re-assembl$3) same (packet data burst frame block datagram) same schedul$3 same (register counter) and (370/394 370/389 370/252 370/412 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 16:23
S53	36	S52 not S51	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 16:12
S54	72	(resequenc$3 re-sequenc$3 reorder$3 re-order$3 reassembl$3 re-assembl$3) same (packet data burst frame block datagram) same (decrement$3 decreas$30) same (register counter) and (370/394 370/389 370/252 370/412 "709"/$) and @ad<="20021219"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/02 16:39

| S55 | 8 | (resequenc$3 re-sequenc$3 reorder$3 re-order$3 reassembl$3 re-assembl$3) same (packet data burst frame block datagram) same (transmit$4 output$4) same (decrement$3 decreas$30) same (register counter) and (370/394 370/389 370/252 370/412 "709"/$) and @ad<="20021219" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2007/05/02 16:40 |